

LICENSE GUIDE

Software Blades products

SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPAP-SG5075 CPAP-SG9075 CPAP-SG11065 CPAP-SG11075 CPAP-SG11085	Check Point Power-1 Appliance	Check Point Power-1™ appliances enable organizations to maximize security in high-performance environments such as large campuses or data centers. They combine Check Point firewall, IPsec VPN, and intrusion prevention Software Blades with advanced acceleration and networking technologies that deliver a high-performance security platform for multi-Gbps environments.	No	2	One on the Security Management and another on the device	License is per model. License is for unlimited users.Includes FW, VPN, IPS, ACCL, ADN blades and 5,000 VPN-1 SecuRemote users, as well as MultiCore. Prices do not include shipping costs.
CPAP-IP2455 CPAP-IP1285 CPAP-IP695 CPAP-IP565 CPAP-IP395 CPAP-IP295	Check Point IP Appliances	Check Point IP appliances are integrated with Check Point latest software blades and include the revolutionary IPS software blade in their standard configuration. The IP appliances offer unsurpassed scalability, high performance, reliability and high port density that reduce operational costs while performing in demanding mission-critical security environments.	No	2	One on the Security Management and another on the device	Lincese is per model. License is for Unlimited users. Includes FW, VPN, IPS, ACCL, ADN blades and 5,000 VPN-1 SecuRemote users, as well as MultiCore. Prices do not include shipping costs.
CPAP-SG3076 CPAP-SG2076 CPAP-SG1076 CPAP-SG576 CPAP-SG276 CPAP-SG136	Check Point UTM-1 Total Security Appliances	Check Point UTM-1™ appliances are all-inclusive, turn-key solutions that include everything you need to secure your network. Each appliance includes integrated centralized management, along with complete security updates, hardware support, and customer support. UTM-1 appliances come packaged with the most comprehensive and flexible security solution available. All UTM-1 appliances can include firewall, intrusion prevention (IPS), antivirus, antispyware, URL filtering, Web security, and anti-spam Software Blades. Additional blades can be flexibly added as needed.	Yes	1	Device	License is per model. License is for unlimited users. Includes Firewall, VPN, IPS, AV, URLF & ASPM blades and 1,000 VPN-1 SecuRemote users. License also includes Security Management container including NPM, EPM & LOGS blades and 5 Check Point Endpoint Security Secure Access. The 130 model can manage 1 gateway only. Models 270, 570, 1070, 2070 and 3070 can manage 2 gateways including themselves. Prices do not include shipping costs.

Classification: <a> [Unrestricted]—For everyone



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations	
CPAP-SG3073 CPAP-SG2073 CPAP-SG1073 CPAP-SG572 CPAP-SG272 CPAP-SG132	Check Point UTM-1 appliance	Check Point UTM-1™ appliances are all-inclusive, turn-key solutions that include everything you need to secure your network. Each appliance includes integrated centralized management, along with complete security updates, hardware support, and customer support.	Yes	1	Device	License is per model. Includes FW and VPN blades and 1,000 VPN-1 SecuRemote users (the 3 blades includes also IPS blade). License also includes Security Management container including NPM, EPM & LOGS blades and 5 Check Point Endpoint Security Secure Access. The 130 model can manage 1 gateway only. Models 270, 570, 1070, 2070 and 3070 can manage 2 gateways including themselves. Prices do not include shipping costs.	
CPSG-P805 CPSG-P407 CPSG-P405 CPSG-P203-U CPSG-P207 CPSG-P205 CPSG-P203 CPSG-P106 CPSG-P103	Check Point Security Gateway pre- defined system	Check Point Security Gateways provide the most comprehensive, flexible and extensible security while keeping security operations simple and affordable. Software Blade containers are the common platform that contains all the necessary services to run the software blade environment. Every security gateway container comes pre-populated with a Check Point		1 or 2	Centrally on the Security Management server or localy on the Security	SG100, SG200, SG400 and SG800 series are designed utilize 1, 2, 4 and 8 cores respectively. SG100 series is limited to 50 users. SG200 series is limited to 500 users. SG400 and SG800	
CPSG-C801 CPSG-C401 CPSG-C201 CPSG-C101	Check Point Security Gateway Container	Firewall blade, based on award-winning and patented FireWall-1® technology.		1	Gateway server	are unlimited. FW blade is included.	
CPSB-FW	Check Point Firewall blade	Check Point's Firewall Software Blade is the world's most proven firewall solution that's trusted to secure 100% of the Fortune 100. The Firewall Software Blade provides the highest level of security, with access control, application security, authentication and Network Address Translation (NAT) available to block unauthorized network users and protect enterprise users and data.		0		Blade should be attached to a Security Gateway Container.	
CPSB-VPN	Check Point IPSEC VPN blade	Check Point's VPN Software Blade is an integrated software solution that provides secure connectivity to corporate networks, remote and mobile users, branch offices and business partners. The blade integrates access control, authentication and encryption to guarantee the security of network connections over the public Internet.		0		Blade should be attached to a Security Gateway Container.	



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPSB-WS	Check Point Web Security blade	The Check Point Web Security Software Blade provides a set of advanced capabilities that detect and prevent attacks launched against the Web infrastructure. The Web Security Software Blade delivers comprehensive protection when using the Web for business and communication.		0		Blade should be attached to a Security Gateway Container.
CPSB-ADN	Check Point Advanced Networking blade	The Check Point Advanced Networking Software Blade makes it easier for administrators to deploy security within complex and highly utilized network environments making this ideal for high-end enterprise and datacenter environments where performance and availability are critical. It includes a number of advanced networking features such as dynamic routing, multicast support, Quality of Service (QoS) prioritization and application load balancing		0		Blade should be attached to a Security Gateway Container. Generate 2 license strings – one for the Security Gateway container and another for the Security Management container.
CPSB-ACCL	Check Point Acceleration & Clustering blade	The Check Point Acceleration and Clustering Software Blade deliver a set of advanced technologies, SecureXL and ClusterXL, that work together to maximize performance and security in high-performance environments. These work with CoreXL, which is included with the blade containers, to form the foundation of the Open Performance Architecture, which delivers throughput designed for data center applications and the high levels of security needed to protect against today's application-level threats.		0		Blade should be attached to a Security Gateway Container. Generate 2 license strings – one for the Security Gateway container and another for the Security Management container.
CPSB-VOIP	Check Point Voice over IP blade	The Check Point security family enables you to deploy VoIP applications such as telephony or video conferencing without introducing new security threats or needing to redesign your network. Because worms and VoIP-specific Denial of Service attacks can take IP phone services down, the Check Point family delivers an evolving solution that understands and protects against existing and new threats that may disrupt business continuity. Check Point solutions also reduce the complexity of VoIP deployment by eliminating such common pain points as incompatibility between VoIP and Network Address Translation.		0		Check Point Voice over IP blade software is currently available on security gateway release R65.2.100 and is currently managed by security management R65.4 and higher.
CPSB-TS-S2	Check Point Total Security package for 1 year Check Point Total Security package for 1	Check Point Total Security is a package including all Security Gateway service blades for 1 year (IPS, AV, URLF and ASPM blades).		0		Blades should be attached to a Security Gateway ContainerService blades are yearly renewable blades. License is per gateway.



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPSB-IPS	Check Point IPS blade for 1 year	The Check Point IPS Software Blade provides complete, integrated, next generation firewall intrusion prevention capabilities at multi-gigabit speeds, resulting in industry-leading total system security and performance. The IPS Blade provides complete threat		0		Blade should be attached to a Security Gateway Container. Service blade is yearly renewable blade. License is per gateway.
CPSB-IPS-S1	Check Point IPS blade for 1 year - for small businesses	coverage for clients, servers, OS and other vulnerabilities, malware/worm infections, and more.				
CPSB-URLF	Check Point URL Filtering Blade for 1 year	The Check Point URL Filtering Software Blade protects users and enterprises by restricting access to an array of potentially dangerous sites and content, blocking inappropriate Web surfing to over 20-million URLs. Pre-configured policy templates enable quick and simple deployment of policies using content categories. All content profiles are updated continually through a Check Point software update service.		0		Blade should be attached to a Security Gateway Container. Service blade is yearly renewable blade. License is per gateway.
CPSB-AV	Check Point Anti-Virus & Anti-Malware blade for 1 year	Check Point Antivirus & Anti-Spyware Software Blade protects against threats transmitted through HTTP, FTP, SMTP and POP3 protocols. Using a continually updated list of antivirus and antispyware signatures and anomaly-based protections, the Antivirus and Anti-Malware Software Blade stops viruses and other malware at the gateway before they affect users. Businesses gain the benefits of the easy management using the familiar Check Point user interfaces that includes policy management, logging and monitoring. By default all protocols are scanned, and options for each protocol can be centrally configured.		0		Blade should be attached to a Security Gateway Container. Service blade is yearly renewable blade. License is per gateway.
CPSB-ASPM	Check Point Anti-Spam & Email Security blade for 1 year	The Check Point Anti-Spam and Email Security Software Blade provides comprehensive protection for an organization's messaging infrastructure. A multidimensional approach protects the email infrastructure, provides highly accurate spam protection, and defends organizations from a wide variety of virus and malware threats delivered within email. Continual updates assure that all threats are intercepted before they spread.		0		Blade should be attached to a Security Gateway Container. Service blade is yearly renewable blade. License is per gateway.
CPAP-SM504	Check Point Smart-1	Smart-1 appliances deliver Check Point's market leading security management software blades on a dedicated hardware platform specifically designed for mid-size and large enterprise security networks. Based on Check Point's software blade architecture, the line		1	Device	License is per model. License is for managing 5 gateways. Includes NPM, EPM, LOGS & PRVS blades. License also includes MGMT HA. Prices do not include shipping costs.



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPAP-SM2507 CPAP-SM5007	Check Point Smart-1	of four Smart-1 appliances are first to deliver a unified management solution for network, IPS and endpoint security with unsurpassed extensibility.				License is per model. License is for managing 25 or 50 gateways (based on the model number). Includes NPM, EPM, LOGS, PRVS, MNTR, UDIR & IPSA blades. License also includes MGMT HA. Prices do not include shipping costs.
CPAP-SM15008-PV3 CPAP-SM15008-PV5 CPAP-SM15008-PV10 CPAP-SM5008-PV3 CPAP-SM5008-PV5 CPAP-SM5008-PV10	Check Point Smart-1 Provider-1 Enterprise Edition					License is per model. License is for managing 50 or 150 gateways (based on the model number). Includes NPM, EPM, LOGS, PRVS, MNTR, MPTL, UDIR & IPSA blades. License also includes MGMT HA. Includes a single Multi-Domain server (MDS) Manager and Container, a specified number of Customer Add-ons (3, 5 or 10 CMAs) for managing unlimited number of gateways. CMA Pro Add-ons are included for the specified number of CMAs. The number of CMAs can be increased by using CPPR-CMA-X-NG on top of the product up to 50 CMAs.
CPSM-PU007 CPSM-P2506 CPSM-P1007 CPSM-PU003 CPSM-P1003 CPSM-CU000 CPSM-C2500 CPSM-C1000	Check Point Security Management pre-defined system Check Point Security Management container	Check Point Security Management solutions integrate policy configuration, monitoring, logging, reporting and security event management in a single interface - helping minimize total cost of ownership.		1	Security Management server	License is per number of managed gateways (and not per cluster or per site.) High Availability configuration of the Security Management requires both primary and secondary servers to have the same container and blade topology. No additional blade (or license) is required beyond this requirement.
CPSB-NPM	Check Point Network Policy Management blade	Check Point's Network Policy Management Software Blade gives you control over configuring and managing even the most complex security deployments. Based on Check Point's unified security architecture, the Network Policy Management Software Blade provides comprehensive security policy management using SmartDashboard – a single, unified console for all security functionalities.		0		Blade should be attached to a Security Management Container.
CPSB-EPM	Check Point Endpoint Policy Management blade	The Endpoint Policy Management Software Blade enables you to centrally manage the security products you use on your organization's end-user devices. This means that you can take and keep control of computing devices and the sensitive information they contain.		0		Blade should be attached to a Security Management Container.



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPSB-LOGS	Check Point Logging & Status blade	The Logging and Status Software Blade provides comprehensive information on security activity through logs and a complete, visual picture of changes to gateways, tunnels, remote users, and security activities.		0		Blade should be attached to a Security Management Container.
CPSB-MNTR	Check Point Monitoring blade	The Monitoring Software Blade shows a complete picture of network and security performance, enabling fast responses to changes in traffic patterns or security events. The Monitoring Software Blade centrally monitors Check Point and OPSEC devices, presenting a complete picture of changes to gateways, tunnels, remote users, and security activities. This enables administrators to immediately identify changes in network traffic flow patterns that may signify malicious activity.		0		Blade should be attached to a Security Management Container.
CPSB-MPTL	Check Point Management Portal blade	With the Management Portal Software Blade, you can extend browser-based management access to outside groups such as technical support staff or auditors, while maintaining centralized control of policy enforcement. Management Portal users can view security policies, the status of all Check Point products and administrator activity as well as edit, create and/or modify internal users, and manage firewall logs.		0		Blade should be attached to a Security Management Container.
CPSB-UDIR	Check Point User Directory blade	Check Point's User Directory Software Blade enables Check Point Security Gateways to leverage LDAP- based user information, eliminating the risks associated with manually maintaining and synchronizing redundant data stores.		0		Blade should be attached to a Security Management Container.
CPSB-IPSA	Check Point IPS Event Analysis blade	The IPS Event Analysis Software Blade is a complete IPS event management system for your IPS Software Blade, providing situational visibility, and easy to use forensic and reporting tools. IPS events are presented in a Timeline View so administrators can immediately focus on their high priority assets, and quickly see threat and vulnerability status of these assets. Quickly drill-down from business view monitoring to forensic-level details to easily identify and manage threat information. The IPS Event Analysis Software Blade enables easy overview of overall attack trends and effectiveness of the current IPS policy.		0		Blade should be attached to a Security Management Container.



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPSB-PRVS	Check Point Provisioning blade	The SmartProvisioning Management Software Blade provides centralized administration and provisioning of Check Point security devices via a single management console. Using profiles, a network administrator can easily deploy security policy or configuration settings to multiple, geographically distributed devices. The SmartProvisioning Blade also provides centralized backup management and a repository of device configurations so administrators can easily apply existing configuration, the SmartProvisioning Blade reduces administrative overhead, reduces errors and ensures security consistency across the network.		0		Blade should be attached to a Security Management Container.
CPSB-WKFL	Check Point SmartWorkflo w blade	SmartWorkflow provides a formal process of policy change management that helps administrators reduce errors and enhance compliance. Changing business needs produce a constant stream of requests to change firewall security policies. These changes can have far reaching implications if not done correctly including: slower firewall performance, network downtime, increased security risks, and lack of compliance with corporate and industry standards. Enterprises that have multiple firewall administrators and an environment of frequent changes need an automated solution that helps them review and authorize policy changes against approved configuration standards		0		Blade should be attached to a Security Management Container. License of SmartWorkflow blades is per number of managed gateways and should match the container's size.
CPSB-EVS	Check Point Reporting and Event Correlation blade package	Eventia Suite package provides the benefits of Event Correlation and Reporting blades		0		Blades should be attached to a Security
CPSB-RPRT	Check Point Reporting blade	The Reporting Software Blade turns the vast amount of data collected from security and network devices into understandable information that organizations can use to validate the effectiveness of security policies and practices, plan network capacity, and maximize their security investment. The Reporting Software Blade centralizes reporting on network, security, and user activity and consolidates the data into concise predefined and custom-built reports. Easy report generation and automatic distribution save time and money.		0	Reporter Server	Management Container. Reporting and Event Correlation blades are bundled together and cannot be purchased separately. License of blades is per number of managed gateways and should match the container's size.



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPSB-EVCR	Check Point Event Correlation blade	The Event Correlation Software Blade provides centralized, real-time security event correlation and management for Check Point security gateways and third-party devices. Automated aggregation and correlation of data not only substantially minimizes the time spent analyzing data but also isolates and prioritizes the real security threats.		0	Event correlation server	Blade should be attached to a Security Management Container. Reporting and Event Correlation blades can only be purchased in a package of two. License of Event Correlation blades is per number of managed gateways and should match the container's size.
CPSG-P805-CPSM-PU007 CPSG-P405-CPSM-PU003 CPSG-P405-CPSM-P2506 CPSG-P405-CPSM-P1003 CPSG-P203-CPSM-P1003 CPSG-P203-CPSM-P303 CPSG-P103-CPSM-P303 CPSG-P103-CPSM-P203	Check Point Security bundle	Check Point Management and Gateway bundles make it easy for customers to purchase the right combination of gateway and management products in a single and affordable SKU. It includes Security Management managing a specified number of gateways and one Security Gateway which provide the most comprehensive, flexible and extensible security while keeping security operations simple and affordable. Both the Security Management and Security Gateway containers comes pre-populated with blades	Yes	2	Security Management server or Security Management & Security Gateway servers	SG100, SG200, SG400 and SG800 series are designed to utilize 1, 2, 4 and 8 cores respectively. SG100 series is limited to 50 users. SG200 series is limited to 500 users. SG400 and SG800 are unlimited. SM200, SM300, SM1000, SM2500, SMU000 are licensed to manage 2, 3, 10, 25 and Unlimited gateways respectively.
CPSM-PV308 CPSM-PV508	Check Point Provider-1 Enterprise Edition	Check Point Provider-1 Enterprise Edition brings a highly scalable multi-domain management solution to high-end enterprise customers. Provider-1 Enterprise Edition includes a multi-domain management blade that enables management of up to 3 or 5 separate security domains, allowing for separate management access rights while sharing global objects and policies across the security domains	No	1 for MDS and 3 (or 5) for CMAs.	MDS level and CMA levels	Includes the following blades: NPM, EPM, LOGS, MNTR, IPSA, PRVS, MPTL and UDIR. Licensing is by number of security domains managed. Can be used to manage a single legal entity as opposed to other Provider-1 licensing schemes.
CPSM-P1001	Check Point Security Management pre-defined system including Customer Log Module Add- on blade	Customer Log Module Enables real-time log accumulation, tracking and management on a dedicated log server for Security Gateways. It includes a container and a license for collecting logs from up to 10 gateways		1	Log Server Device	
CPSM-C500	Check Point Security Management Container Expansion for additional 5 managed gateways	Security Management Container Expansion increases the number of managed gateways in a given container. There is no change to the installed blades.		0		Blade should be attached to a Security Management Container.



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations	
CPIP-NHM	Horizon Manager License	Horizon Manager helps security administrators efficiently and proactively manage large-scale deployments of IP security appliances. Horizon Manager automates time-consuming administration while preventing common configuration errors, ensuring the optimal deployment, monitoring, maintenance, and recovery of IP security appliances. Administrators can manage operating system configuration settings and versions, and Check Point application packages, from a single console. Additional functionality includes template-based IP appliance configuration and deployment, backup and restore of application and operating system configurations, hardware and software inventory capabilities, and the execution of commands or customized scripts.				NHM is included with the Provisioning blade. Customers who purchase the Provisioning blade must specify on their PO if they need the NHM license.	
CPIP-BGP	BGP protocol					BGP and IGRP licenses are included with the Advanced Networking (ADN) blade for integrated IP Series appliances. Customers who purchase ar	
CPIP-IGRP	IGRP protocol					IP Series appliance must specify they need this license on their Purchase Order.	



NGX Pricelist - Enterprise Solutions

SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPPWR-APP	Check Point Power-1 Security appliance	The Power-1 appliance family enables organizations to maximize security in high-performance environments such as large campuses or data centers. It combines integrated firewall, IPSec VPN, and intrusion prevention with advanced acceleration technologies, delivering a high-performance security platform that can block application layer threats in multi-Gbps environments. Even as new threats appear, Power-1 appliances maintain or-due to their open architecture-increase performance while protecting networks against attacks.	No	2	One on the Security Management and another on the device)	License is per model. License is for unlimited users.Includes FireWall-1, VPN-1, FloodGate-1, SecureXL, ClusterXL, MultiCore, and SplatPro. Prices do not include shipping costs.
CPUTM-APP- TS	Total Security UTM-1 Appliances	Check Point UTM-1™ appliances plus Total Security – 1 year or 3 years complete Unified threat Management including: - SmartDefense Services, Content Inspection (Antivirus and URL Filtering), and Messaging Security. - Software subscription, - Entitlement to reduced product support rates. - Check Point FireWall-1 including Application Intelligence for unlimited users - VPN – IPSec Remote Access, Site-to-Site VPN, and SSL VPN (see product specification) included	No	1	Device	License is per model. License is for unlimited users. Includes 5 Remote access users (either SecureClient or SNX), SmartPortal, SmartDirectory, SmartView Monitor and express reports. The 450 & 1050 models can manage 3 sites including themselves. The 2050 model can mange up to 5 sites including itself. Prices do not include shipping costs.
CPUTM-APP	UTM-1 appliance	Check Point UTM-1™ appliances deliver proven, tightly integrated security features to provide the perfect blend of simplicity and security. UTM-1 appliances offer a complete set of security features including firewall, intrusion prevention, antivirus, anti-spyware, Web application firewall, VoIP security, instant messaging (IM) and peer-to-peer (P2P) blocking, URL Filtering, as well as secure site-to-site and remote access connectivity	No	1	Device	License is per model. License is for unlimited users. Includes 5 Remote access users (either SecureClient or SNX), SmartPortal, SmartDirectory, SmartView Monitor and express reports. The 450 & 1050 models can manage 3 sites including themselves. The 2050 model can mange up to 5 sites including itself. Prices do not include shipping costs.



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPUTM-EDGE	VPN-1 UTM Edge	A unified threat management hardware appliance that provides all-in-one security including firewall, VPN, SmartDefense Service, IPS and Antivirus for enterprise branch offices and remote offices. All appliances are equipped with a serial port, 4 LAN ports, 1 WAN port and 1 DMZ/WAN2 port. The appliances are available with built-in secure wireless access point and/or ADSL models include a USB port used as a print server.	No	N/A	Device	Licensed per number of concurrent connections. The SKU is a product key tied up to the MAC address of the appliance. Prices do not include shipping costs
CPUTM-VUG	Check Point VPN-1 UTM Gateway	Security enforcement point includes Firewall, VPN, intrusion prevention, and antivirus protection and URL filtering for a specified number of users; It also includes VPN-1 SecuRemote for a defined number of users: the unlimited gateway includes 1,000 VPN-1 SecuRemote users. VPN-1 UTM Gateways are managed by SmartCenter UTM, SmartCenter Power or Provider-1.	No	1	Gateway	ClusterXL for Load Sharing (CXLS) license additionally required for load sharing implementations; Licenses per number of users.
CPUTM-VUG- HA	Secondary VPN-1 UTM Gateway	Security enforcement point for high availability deployments includes FireWall-1, VPN-1, intrusion prevention, and antivirus protection. Must be used with an existing VPN-1 UTM Gateway of the same size. Additional HA VPN-1 UTM Gateways can be added to increase the size of the cluster. VPN-1 UTM Gateways are managed by SmartCenter UTM, SmartCenter Power or Provider-1.	No	1	Gateway	License must match the number of users in the existing VPN-1 UTM Gateway license. License must be used on a gateway in a cluster object.
CPPWR-VPG	Check Point VPN-1 Power Gateway	VPN-1 Power Gateways provide the most comprehensive and powerful security for the enterprise. VPN-1 Power Gateways are managed by SmartCenter UTM, SmartCenter Power or Provider-1. All VPN-1 Power Gateways include FireWall-1, VPN-1, FloodGate-1, SecureXL, SmartDefense, ClusterXL for High Availability, and VPN-1 SecuRemote for a defined number of users: the unlimited gateway includes 5,000 VPN-1 SecuRemote users.	No	1	Gateway	ClusterXL for Load Sharing (CXLS) license additionally required for load sharing implementations; Licensed per number of users.
CPPWR-VPG- HA	Secondary VPN-1 Power Gateway	Additional enforcement point for high availability or load sharing deployments, including FireWall-1, VPN-1, FloodGate-1 and SecureXL, offering protection for a specified number of users. VPN-1 Power Gateways are managed by SmartCenter UTM, SmartCenter Power or Provider-1. Additional HA VPN-1 Power Gateways can be added to increase the size of the cluster.	No	1	Gateway	Must be used with an existing VPG license of the same size. License must be used on a gateway in a cluster object.



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPUTM-VUP	Check Point VPN-1 UTM Power Gateway	A combination of performance and simplicity- an all-in-one platform that includes the VPN-1 UTM features with the acceleration provided by the VPN-1 Power line. VPN-1 UTM Power Gateways are managed by SmartCenter UTM, SmartCenter Power or Provider-1. All VPN-1 UTM Power Gateways include FireWall-1, VPN-1, FloodGate-1, SecureXL, SmartDefense, AntiVirus, URL filtering, ClusterXL for High Availability, and VPN-1 SecuRemote for a defined number of users: the unlimited gateway includes 5,000 VPN-1 SecuRemote users.	No	1	Gateway	ClusterXL for Load Sharing (CXLS) license additionally required for load sharing implementations; License per number of users.
CPUTM-VUP- HA	Secondary VPN-1 UTM Power Gateway	Additional enforcement point for high availability or load sharing deployments, including FireWall-1, VPN-1, FloodGate-1, SecureXL, SmartDefense, AntiVirus and URL filtering offering protection for a specified number of users. Additional HA VPN-1 UTM Power Gateways can be added to increase the size of the cluster.	No	1	Gateway	Must be used with an existing VPN-1 UTM Power license of the same size. License must be used on a gateway in a cluster object.
CPUTM-CKP	Check Point UTM - SmartCenter and Gateway Bundle	Check Point UTM provides comprehensive enterprise-class security for organizations. It includes SmartCenter UTM SmartCenter for a specified number of sites, one VPN-1 UTM Gateway protecting specified number of users, and VPN-1 SecuRemote for a specified number of users.	No	1 or 2	SmartCenter or SmartCenter and Gateway	SmartCenter license is per number of managed sites. VPN- 1 Gateway License is per number of users.
CPPWR-CKP	Check Point Power - SmartCenter and Gateway Bundle	Provides comprehensive enterprise security. Includes SmartCenter Power with SmartDashboard, SmartUpdate, SmartMap, SmartDirectory, SmartLSM, SmartCenter High Availability, SmartView Tracker, SmartView Monitor and SmartPortal. Also includes a single VPN-1 Power Gateway for specified number of users (including FireWall-1, VPN-1, FloodGate-1, SecureXL, and VPN-1 SecuRemote), and SmartDefense.	No	1 or 2	SmartCenter or SmartCenter and Gateway	SmartCenter license is per number of managed sites. VPN- 1 Gateway License is per number of users.
CPUTM-CKPP	Check Point UTM Power – SmartCenter and Gateway Bundle	Provides comprehensive enterprise security. Includes SmartCenter Power with SmartDashboard, SmartUpdate, SmartMap, SmartDirectory, SmartLSM, SmartCenter High Availability, SmartView Tracker, SmartView Monitor, SmartPortal. Also includes a single VPN-1 UTM Power Gateway for a specified number of users (including FireWall-1, VPN-1, FloodGate-1, SecureXL, and VPN-1 SecuRemote), Antivirus URL Filtering and SmartDefense	No	1 or 2	SmartCenter or SmartCenter and Gateway	SmartCenter license is per number of managed sites. VPN- 1 Gateway License is per number of users.



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPPWR-VSX- APP	Check Point VSX-1 Appliance	Extends the scale of the security system to meet the most demanding performance and reliability requirements of enterprise customers. The VSX Gateway enforces up to 250 discrete VPN-1 Power security policies on a single machine. Each VS (Virtual System) is associated with a VLAN, which is attached to an internal interface of the VSX Gateway. The additional Virtual Security Gateway enables automatic high availability by providing an additional Virtual Security Gateway. SecureXL™ is provided with every VSX Gateway for enhanced VPN and firewall performance. SecurePlatform Pro is included. Virtual Security Gateways require existing SmartCenter UTM, SmartCenter Power or Provider-1 for SmartCenter.	Yes	1	Device	Licensed based on virtual number of systems running on a VSX gateway. The VSX-1 appliance Model 3070 can run up to 10 VSs. The VSX-1 appliance Model 9070 can run up to 150 VSs. VSX-1 appliance includes 1 year hardware warranty.
CPPWR-VSX	Check Point Power Virtual Security Gateway - VSX	Extends the scale of the security system to meet the most demanding performance and reliability requirements of enterprise customers. The VSX Gateway enforces up to 250 discrete VPN-1 Power security policies on a single machine. Each VS (Virtual System) is associated with a VLAN, which is attached to an internal interface of the VSX Gateway. The additional Virtual Security Gateway enables automatic high availability by providing an additional Virtual Security Gateway. SecureXL TM is provided with every VSX Gateway for enhanced VPN and firewall performance. SecurePlatform Pro is included. Virtual Security Gateways require existing SmartCenter UTM, SmartCenter Power or Provider-1 for SmartCenter.	Yes	1	Gateway	Licensed based on virtual number of systems running on a VSX gateway
CPPWR-VSX- HA	Secondary VPN-1 Power VSX gateway for Load Sharing and High Availability	Realize non-stop security with a second Virtual System Extension for high availability implementations.	Yes	1	Gateway	License must be of the same size as the primary VSX in the cluster. License must be used in a VSX cluster.
CPMP-WIT	Web Intelligence Addon for VPN-1 Gateway	Web Intelligence is an add-on to VPN-1 Power, VPN-1 UTM and UTM-1 that provides Web application firewall technology and capabilities. When combined with VPN-1, Web Intelligence provides protection for the entire Web environment.	Yes	1	SmartCenter	Licensed by the number of protected Web servers (per IP address). In case the Web server is behind Management HA – one license is needed.
CPMP-WIT-HA	Secondary Web Intelligence Add-on for VPN-1 Gateway	Web application firewall add-on to VPN-1 Power, VPN-1 UTM and UTM-1 enforcement points for a high availability deployment.	Yes	1	SmartCenter	Must be used with a Web Intelligence license of the same size installed on other cluster members
CPUTM-QOS	FloodGate-1 Add-On	Add Quality of Service to VPN-1 Gateways. Provides policy based Quality of Service to optimize network performance by assigning priority to business critical applications and endusers. QOS license includes in VPN-1 UTM Power gateways.	Yes	1	SmartCenter Per new license for NGX	Licensed per site. Works with NGX only



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPMP-CXLS	ClusterXL for Load Sharing Add-on	Enables load sharing by distributing traffic between clusters of redundant gateways so that the computing capacity of multiple machines may be combined to increase total throughput.	Yes	1	SmartCenter	Licensed per site/ number of users
CPMP-PPK	SecureXL	Enables Wire-Speed VPN with SecureXL technology and multi-CPU licenses through software based acceleration. For use with FireWall-1 and VPN-1.	No	1	Gateway	Licensed per gateway. Included in VPN-1 Power.
CPFW-CC	ConnectControl Add-on	Enables increased server capacity via automatic application server load balancing.		1	Gateway	Licensed per gateway.
CPOS-SPRO	SecurePlatform PRO	SecurePlatform Pro expands SecurePlatform adding dynamic routing and multicast support for VPN-1 gateways. Supported dynamic routing protocols: –RIP, RIPv2, OSPF, and BGP. Supported multicast protocols – PIM-SM, PIM-DM, and IGMP. Priced per gateway. Includes also Centralized administrator SmartCenter through RADIUS authentication	Yes	1	SmartCenter	Licensed per Gateway
CPIS-IPS	Check Point IPS-1 Sensor	Check Point IPS-1 is a dedicated intrusion detection and prevention appliance that delivers mission critical protection against worms, automated malware and other hybrid threats both known and unknown, with unmatched management, forensic analysis and flexibility.	N/A	1	SmartCenter	IPS-1 appliance includes a 1- year hardware warranty. Sensor 50 requires physically resetting some switch configurations inside the appliance when changing from passive IDS mode to inline prevention with fail pass thru mode and vice versa. Prices do not include shipping costs
CPMP-IPS	Check Point Management server for IPS-1 sensors	The IPS-1 Management Server is an add-on to SmartCenter, provided based on your SmartCenter SKU (3, 5 or Unlimited Gateways). The license is installed on the server running IPS-1 Management Server.	Yes	1	SmartCenter	
CPIS-INSP	Check Point InterSpect	Internal Security Gateway that blocks the spread of worms and attacks inside the network and provides network zone segmentation. InterSpect is built specifically for internal network security. With InterSpect, organizations can protect their network with a complete internal security solution. InterSpect is designed for non-disruptive deployment into existing network environments, with a SmartCenter interface tailored for internal security. All models include: SmartDashboard for InterSpect, SmartView Monitor for InterSpect, and Eventia Reporter for InterSpect, and one year of SmartDefense subscription	No	N/A	Included in the device	Licensed per device
CPWS-CRA	Connectra Web Security Gateway	Check Point Connectra is a complete Web Security Gateway Appliance that provides both SSL VPN and integrated Web Security in a single, unified security solution. Connectra provides secure Web-based connectivity by combining easy SSL VPN and network-level access with unmatched protection for the entire Web environment. Connectra can be	No	N/A	Included in the device	Licensed per concurrent user. Prices do not include shipping costs.



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
		purchases as an Appliance or as Software. All models include: Application Intelligence, Web Intelligence, SSL Network Extender, and a 1 year subscription to SmartDefense.				
CPWS-CRA-HA	Connectra Web Security Gateway for High Availability	Additional Connectra appliance for High Availability.	No	N/A	Included in the device	Requires an existing Connectra Appliance of the same size. Prices do not include shipping costs.
CPWS-CCV	Integrity Clientless Security for Connectra	An innovative solution to mitigate the risks posed by non-IT controlled endpoints accessing enterprise resources remotely via Web-based applications and gateways, such as Microsoft Outlook Web Access, SSL VPNs or extranets. It protects the enterprise from spyware, keystroke loggers, and other undesirable software.	Yes	1	Connectra Device	Must match the number of users in the existing CPWS-CRA license. Connectra license for 25 users comes bundled with Integrity Clientless Security license for 25 users.
CPWS-CCV-HA	Integrity Clientless Security High Availability for Connectra	Additional Integrity Clientless Security for high availability.	Yes	1	Server	Must match the number of users in the existing CPWS-CRA CPWS-HCRA license; Requires HA for each product
CPWS-CRS	Connectra SW	Check Point Connectra is a complete Web security gateway that provides both SSL VPN and integrated Web security in a single unified security solution. Connectra SW is a software solution that installs SecurePlatform, a customized and hardened operating system, and Connectra software on an open server. Connectra also includes Application Intelligence, Web Intelligence, SSL Network Extender, and a 1 year subscription to SmartDefense.	Yes	1	Server	Licensed per number of concurrent users.
CPWS-CRS-HA	Connectra Web Security SW for High Availability	Additional Connectra software for high availability.	Yes	1	Server	Must be used with an existing Connectra software of the same size.
CPWS-CRBC	Connectra Unlimited - Business Continuity License for 45 days	Check Point Connectra is a complete Web Security Gateway that provides SSL VPN access and comprehensive endpoint and integrated intrusion prevention security in a single, unified remote access solution. The Business Continuity License enables the full use of Connectra, with no restriction on the number of users, and with all of its features and related services activated for 45 days.	No	1	Server	License also includes Application Intelligence, Web Intelligence, SSL Network Extender, Integrity Clientless Security and a 45 day subscription to SmartDefense.
CPVP-SCM	SecureClient Mobile	SecureClient Mobile delivers secure, continuous remote access and firewall protection for mobile devices that connect to VPN-1 and Connectra for continuous protection and productivity.	Yes	1	SmartCenter	Licensed per user
CPVP-SNX	SSL Network Extender	Remote access solution for SSL VPN that enables remote users to connect client/server applications using an Internet web browser plug-in	Yes	1	SmartCenter	Licensed per user



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPEP-SA	Check Point Endpoint Security - Secure Access	Endpoint Security Secure Access includes firewall, program control, NAC, remote access VPN and antivirus/anti-spyware engine.	Yes	3		Licensed per protected endpoint. Antivirus and anti-spyware updates require subscription to SmartDefense Anti-malware Service. Secure Access includes the Endpoint Security management server in single server or High Availability / fail- over configuration. Includes use of SecureClient for Windows and SecureClient for Macintosh
CPEP-FDE	Check Point Endpoint Security - Full Disk Encryption	Endpoint Security Full Disk Encryption includes full disk encryption for laptops and Desktops with pre-boot authentication	Yes	3		Licensed per protected endpoint. Full Disk Encryption includes the SmartCenter for Pointsec (MI and WebRH)
CPEP-MEPP	Check Point Endpoint Security - Media Encryption	Endpoint Security Media Encryption includes both port protection and removable media encryption in a single package.	Yes	3		Licensed per protected endpoint. Media Encryption includes management server.
CPEP-TS	Check Point Endpoint Security - Total Security	Endpoint Security Total Security includes all Endpoint Security components including firewall, program control, NAC, VPN client, antivirus and anti-spyware engine, full disk encryption, port protection and media encryption.	Yes	9		Licensed per protected endpoint. Antivirus and anti-spyware updates require subscription to SmartDefense Anti-malware Service.
CPEP-SMDF- AM	Anti-Malware Service	One year subscription includes antivirus and anti-spyware updates and Program Advisor service.	No	2	Integrity server	Program Advisor service is included only with the SmartDefense Anti-malware service. Services are priced for one year unless stated otherwise.
CPDS-PMOB	Pointsec Mobile	Pointsec Mobile Solutions address the very real need to secure the intellectual property and other sensitive data that resides on PDAs and smart phones with a strong and complete set of encryption products. Our Mobile Platform Products completely secure data on the Symbian, Pocket PC, Windows Mobile Smartphone and Palm operating systems. Our Mobile Solutions have also been designed with the features and functionality required in both Enterprise Business environments and Service Provider offerings. The Pointsec Mobile suite provides for a truly mobile workforce with push email and business applications running on handsets	Yes	1		License is per number of seats. SmartCenter for Pointsec is included. The Starter Kit includes 25 seats of Pointsec PC and SmartCenter for Pointsec for 25 managed endpoint.



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPUTM-SC	Check Point SmartCenter UTM	Utilizes Check Point's Security Management ArchiTecture (SMART) to enable one-click centralized policy distribution with centralized security SmartCenter of a specified number of VPN-1 UTM and VPN-1 Power Gateways. Includes SmartDashboard - a user interface for defining and managing the security policy, and SmartView Tracker - which displays detailed log information on all enforcement points.	No	1	SmartCenter	License is per number of sites managed.
CPPWR-SC	Check Point SmartCenter Power	Utilizes Check Point's Security Management ArchiTecture (SMART) to enable one-click centralized security SmartCenter and policy distribution for a specified number of VPN-1 UTM and VPN-1 Power Gateways. SmartCenter Power includes SmartDashboard user interface for defining and managing the security policy; SmartUpdate, enabling centralized, one-click software and license SmartCenter; SmartMap, a visual policy editor that graphically depicts network layout and illustrates the effect of security policies; SmartDirectory, enabling storage and retrieval of VPN-1/FireWall-1 user attributes on LDAP servers; SmartLSM, which includes SmartCenter tools for thousands of gateways; SmartCenter High Availability, enabling automatic synchronization of backup SmartCenter servers ensuring resilient security SmartCenter; SmartView Tracker, which displays detailed log information on all enforcement points; SmartView Monitor, providing traffic and performance monitoring; and SmartPortal TM , which provides a web portal to view security policies and objects without installing dedicated SmartConsole clients.	No	1	SmartCenter	License is per number of sites managed
CPMP-PRE	Check Point Provider-1 Enterprise Edition	Includes a single Multi-Domain Server (MDS) Manager and Container, a specified number of Customer SmartCenter Addons (CMAs) for managing an unlimited number of gateways, and CMA Pro Add-ons including SmartUpdate, SmartMap, SmartDirectory, SmartLSM, and SmartView Monitor. Addition of Enterprise Edition licenses or MDS Containers to this product is not allowed.	No	1 for MDS and 3 (or 5) for CMAs.	MDS level and CMA levels	Licensing is by number of security domains managed. Can be used to manage a single legal entity as opposed to other Provider-1 licensing schemes.
CPUTM-SC- ADD	SmartCenter Add-ons Suite for SmartCenter UTM	Upgrade the SmartCenter UTM to SmartCenter Power. SmartCenter Add-ons Suite includes SmartUpdate - centralized, one-click software and license SmartCenter. SmartMap - a visual policy editor graphically depicts network layout and illustrates the effect of security policies. SmartDirectory - storage and retrieval of VPN-1/FireWall-1 user attributes on LDAP servers. SmartView Monitor — provides traffic and performance monitoring. SmartPortal - provides a web portal to view security policies and objects without installing dedicated SmartConsole clients. Utilizes Check Point's Security Management ArchiTecture (SMART) to enable one-click centralized security SmartCenter and policy distribution of an unlimited number of Check Point	No	1	SmartCenter	Licensed by the number of sites managed. The license must match existing number of sites managed



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
		gateways.				
CPUTM-SXA	SmartCenter UTM SmartCenter Add-on	Increase the number of sites managed by Check Point SmartCenter UTM. The SmartCenter add-ons are incremental, not additive. The SXA-2 increases the number of sites managed by Check Point SmartCenter UTM by two (i.e. increase sites managed from 1 to 3 or 3 to 5.) The SXA-20 increases the number of sites managed by Check Point Express from 5 to 25. Includes SmartPortal.	No	1	SmartCenter	Licensed by the number of sites managed
CPUTM-SMPO	SmartPortal	SmartPortal is a web-based portal to SmartCenter and Provider-1 for viewing and monitoring security policies, network status and logs; as well as facilitating SmartCenter user administration. Included with SmartCenter Power.	No	1	SmartCenter	Licensed per gateway or management server. Number of users is unlimited
CPUTM-SMUP	SmartUpdate	Utilizes Check Point's Security Management ArchiTecture (SMART) to provide centralized, one-click software and license SmartCenter for Check Point products. The installation of service packs and addition of new products can be performed from a central GUI. Included in SmartCenter Power.	No	1	SmartCenter	Licensed per gateway or SmartCenter server
CPUTM-SMMP	SmartMap	Enhanced SmartCenter capabilities allowing the visualization and editing of security policies and objects through an automatically generated topological view of the network. Included in SmartCenter Power.	No	1	SmartCenter	Licensed per gateway or SmartCenter server
CPUTM-SMDR	SmartDirectory	SmartDirectory extends SmartCenter UTM and SmartCenter Power authentication capabilities by enabling the integration of VPN-1/FireWall-1 with LDAP Directory servers for user data retrieval and SmartCenter, access control and user authentication. Included in SmartCenter Power.	No	1	SmartCenter	Licensed per gateway or SmartCenter server License is additive for 1 but not for unlimited
CPUTM-MGM- HA	SmartCenter High Availability	SmartCenter Station Replication enables high availability for SmartCenter UTM and SmartCenter Power. Backup SmartCenter stations are automatically synchronized, ensuring constant availability. Note that this feature enables replication, but does not include an additional SmartCenter UTM or SmartCenter Power license. Included in SmartCenter Power	No	1	SmartCenter	One license is required per pair of HA SmartCenter.
CPMP-MOTIF- GUI	Motif GUI	SmartCenter Console for Solaris	No	1	SmartCenter	Licensed per SmartCenter server
CPMP-CLM	Customer Log Module	enables real-time log accumulation, tracking and SmartCenter on a dedicated log server for VPN-1 Pro Gateways.	No	1	Log Server Device	Licensed per number of log servers
CPFW-OSE	Open Security Extension	Leverages Check Point's Security SmartCenter ArchiTecture (SMART) to manage packet filters and access lists of third-party routers and security devices.	Yes	1	SmartCenter	Licensed per router managed



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPMP-EVS	Eventia Suite	Eventia Suite provides the benefits of Eventia Analyzer and Eventia Reporter in one bundle	Yes	1 for EVA and 1 for EVR	EVA should be installed on Eventia Server. From R63 the EVR should also be applied on Eventia Reporter Server	Licensed per gateway
CPMP-EVA	Eventia Express Analyzer	Check Point Eventia Analyzer supports 5,25, 50,100 Gateways or devices. Integrated with Check Point SMART SmartCenter Eventia is the only solution that provides centralized, real-time correlation of log data for Check Point perimeter, internal and web security gateways; as well as third party security and network devices.	Yes	1	Eventia Server	EVA- 5,25, and 50 come with 1 Analyzer EVA- 100 comes with 4 Analyzers Licensed per gateway. License includes 1 CLM. When working in the Provider-1 environment, Eventia 5 supports a single CMA, Eventia 25 supports up to 5 CMAs, Eventia 50 supports up to 10 CMAs, and Eventia 100 supports up to 25 CMAs.
CPMP-EVR	Eventia Reporter	Incorporates reporting and monitoring for all Check Point products. Receive up to the minute information about security and networks through to status alerts, security threat alerts and defense capabilities monitored and reported in Eventia Reporter	Yes	1	On version prior to NGX R63 the license should be installed on the SmartCenter. From R63 the license should be installed on the Eventia Reporter server	Licensed per gateway- unlimited number of users
CPMP-SSV	SmartView Reporter and Monitor	Incorporates reporting and monitoring for all Check Point products. Customers receive upto-the-minute information about their security and networks via status alerts, security threat alerts, and defense capabilities monitored and reported in SmartView. In addition, customers are also assisted in their long term decision making and policy planning by data mining, trending, and detailed analytical tools included in SmartView.	Yes	1	SmartCenter	Licensed per reporting site
CPMP-EVA- CORL	Eventia Analyzer Correlation Unit	Check Point Eventia Correlation Unit extends the amount of logs that can be managed by the Eventia Server	No	1	Correlation Device Server	License is per Correlation Unit



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPPWR-SDTS	SmartDefense Total Security services for VPN-1 Power-1	Total Security is a complete Unified threat Management including: SmartDefense Services, Content Inspection (Antivirus and URL Filtering), and Messaging Security.	No	N/A	Part of the UserCenter*	Yearly renewable subscription sold per number of users License is per Cluster. The CK/MAC address is required when ordering the service.
CPUTM-UPD- TS	Update to One Year or 3 Years Total Security for VPN-1 UTM	Update from UTM to Total Security* UTM. Total Security is complete Unified threat Management including: - SmartDefense Services, Content Inspection (Antivirus and URL Filtering), and Messaging Security.	No	N/A	Part of the UserCenter*	Yearly renewable subscription sold per number of users License is per Gateway. The CK/MAC address is required when ordering the service.
CPUTM-REN- TS	Renewal of additional One Year Total Security	Renewal of additional 1 year Total Security. Total Security is a complete Unified threat Management including: - SmartDefense Services, Content Inspection (Antivirus and URL Filtering), and Messaging Security.	No	N/A	Part of the UserCenter*	Yearly renewable subscription sold per number of users License is per Gateway. The CK/MAC address is required when ordering the service.
CPUTM-SMDF	SmartDefense Services for VPN-1 UTM/ UTM-1	SmartDefense Services provide ongoing, real-time updates and configuration advisories for defenses and security policies. SmartDefense Services are licensed annually	No	N/A	Part of the UserCenter*	Yearly renewable subscription sold per number of users License is per Cluster. The CK/MAC address is required when ordering the service.
CPUTM-SDCS	SmartDefense Total Security Services for VPN-1 UTM	Update Services provide ongoing, real-time updates and configuration advisories for defenses and security policies. SmartDefense, Antivirus and URL Filtering Services are licensed annually.	No	N/A	Part of the UserCenter*	Yearly renewable subscription sold per number of users License is per Cluster. The CK/MAC address is required when ordering the service.
CPUTM-SDTS	SmartDefense Services plus Content Inspection for VPN-1 UTM-1	Total Security is a complete Unified threat Management including: SmartDefense Services, Content Inspection (Antivirus and URL Filtering), and Messaging Security.	No	N/A	Part of the UserCenter*	Yearly renewable subscription sold per number of users License is per Cluster. The CK/MAC address is required when ordering the service.
CPUTM-EDGE- SDAV	SmartDefense Services and Antivirus for VPN-1 UTM Edge	SmartDefense Services provide ongoing, real-time updates and configuration advisories for defenses and security policies. SmartDefense Services are licensed annually. The Anti-Virus signature update component of SmartDefense Services is also licensed annually.	No	N/A	Part of the UserCenter*	Yearly renewable subscription sold per number of users License is per Cluster. The CK/MAC address is required when ordering the service.
CPPWR-SMDF	SmartDefense Services for VPN-1 Power/Power-1	SmartDefense Services provide ongoing, real-time updates and configuration advisories for defenses and security policies. SmartDefense Services are licensed annually.	No	N/A	Part of the UserCenter*	Yearly renewable subscription sold per number of users License is per Cluster. The CK/MAC address is required when ordering the service.
CPPWR- SMDF-VSX	SmartDefense Services for VPN-1 Power VSX	SmartDefense Services provide ongoing, real-time updates and configuration advisories for defenses and security policies. SmartDefense Services are licensed annually.	No	N/A	Part of the UserCenter*	Yearly renewable subscription sold per number of users License is per Cluster. The



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
						CK/MAC address is required when ordering the service.
CPIS-IPS- SMDF	SmartDefense Services for IPS-1	SmartDefense Services provide ongoing, real-time updates and configuration advisories for defenses and security policies. SmartDefense Services are licensed annually.	No	N/A	Part of the UserCenter*	Yearly renewable subscription sold per number of users License is per Cluster. The CK/MAC address is required when ordering the service.
CPIS-SMDF	SmartDefense Service for InterSpect	SmartDefense Services provide ongoing, real-time updates and configuration advisories for defenses and security policies. SmartDefense Services are licensed annually.	No	N/A	Part of the UserCenter*	Yearly renewable subscription sold per number of users License is per site. The CK/MAC address is required when ordering the service.
CPWS-SMDF	SmartDefense Service for Connectra	SmartDefense Services provide ongoing, real-time updates and configuration advisories for defenses and security policies. SmartDefense Services are licensed annually.	No	N/A	Part of the UserCenter*	Yearly renewable subscription sold per number of users License is per site. The CK/MAC address is required when ordering the service.
CPVH-CAC-I	Check Point Connectra Accelerator Card	Wire-speed VPNs are enabled by high performance encryption acceleration for3DES IPSec/IKE VPN-1 deployments The Connectra Accelerator Card can achieve up to 400Mbps IPSec-3DES performance	No	N/A	N/A	Requires an available PCI slot on the Gateway Server.
CPUA-UAU	UserAuthority User license	Utilizes Check Point's SecureAccess technology, and provides Authentication and Authorization (WebAccess) services for LAN and REMOTE users using SecuRemote/SecureClient, Windows Clients, Browsers (including SSL). This component extends security to the applications and provides the ability to set security policy for web servers.	Yes	1	Gateway	Licensed per total number of users. License is per site.
CPIS-IDT	Check Point Integrity Desktop	Stand-alone desktop firewall keeping employees productive and enterprise data secure— with minimal IT administration.	Yes	1	Desktop/ Client	Licensed per user
CPVP-VSS	VPN-1 SecureServer	Leverages Check Point's SecureProtect technology to protect a single machine. It provides a subset of VPN-1 Power capabilities and requires existing SmartCenter. VPN-1 SecureServer includes Multi CPU capabilities.	No	1	Gateway	Licensed per server
CPFW-FSS	FireWall-1 SecureServer	Leverages Check Point's SecureProtect technology to protect a single machine. It provides a subset of FireWall-1 capabilities and requires existing SmartCenter. FireWall-1 SecureServer includes Multi CPU capabilities.	No	1	Gateway	Licensed per server
CPVH-VAC-IV	Check Point VPN-1 Accelerator Card IV	Wire-Speed VPNs are enabled by high performance encryption acceleration for 3DES IPSec/IKE VPN-1 deployments. Requires a licensed copy of 3DES VPN-1 Power.	No	N/A	N/A	Requires an available PCI slot on the Gateway Server. The VPN Accelerator Card III can achieve up to 400Mbps IPSec- 3DES performance



* This product's components must be presented in the UserCenter. The SmartCenter Admin must provide credentials (username/password) for this UserCenter # at the time that a SmartDefense update is performed. Note that SmartCenter admin credentials are not the same as UserCenter credentials



Service Provider Solutions

SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPPR-MDS-MC	Provider-1 MDS Manager and Container	Provider-1 Multi Domain Servers (MDS) enable one-click centralized policy distribution with centralized resilient security SmartCenter for a specified number of Customer SmartCenter Add-ons (CMAs) on a single hardware platform. Each MDS system consists from 2 basic parts: MDS Manager & MDS Container. The Provider-1 system can manage ALL types of Customer SmartCenter Add-ons (CMAs).	Yes	1	MDS Server	CMA licenses are mandatory for the proper functionality of Provider-1 MDS systems. The purchase of a secondary MDS Manager does not require the purchase of High Availability software
CPPR-MDS-C	Provider-1 MDS Container	Enables the addition of multiple Customer SmartCenter Add-ons (CMAs) to the MDS Server, thus allowing centralized security SmartCenter and policy distribution of VPN-1 Power Gateways for multiple Customers. Multiple MDS Container hosts can be cascaded to manage thousands of Customers in a single Provider-1 system. The Provider-1 MDS Container can contain all types of CMAs.	Yes	1	MDS Server	Multiple MDS Container licenses can be added to the same MDS host, up to a maximum of 500 CMAs. CMA licenses are required for each CMA on the Container
CPPR-MDS-M	Provider-1 MDS Manager for High Availability	Multiple MDS Managers can be cascaded, on multiple hosts, to enable SmartCenter High Availability and concurrent access for multiple Administrators.	Yes	1	MDS Server	The Secondary MDS must be of the same size as the Primary MDS.
CPSM-SMM- MC	SiteManager-1	SiteManager-1 Multi Domain Servers (MDS) enable one- click centralized policy distribution with centralized resilient security SmartCenter for a specified number of Customer SmartCenter Add-ons (CMAs) on a single hardware platform. SiteManager-1 can manage ONLY the dedicated SiteManager-1 Customer SmartCenter add-ons (CMAs).	Yes	1	MDS Server	CMA licenses are mandatory for the proper functionality SiteManager-1 MDS systems. The purchase of a secondary MDS Manager does not require the purchase of High Availability software
CPPR-PRO	Pro Add-on for MDS	Pro Add-ons extend the Security Management ArchiTecture (SMART) by providing high end SmartCenter tools for the Provider-1 environment on the CMA level. The additional abilities includes: SmartDirectory - Powerful Integration with LDAP-based directories, SmartMap — Allows visualizing the network structure in a graph view, SmartUpdate — Allows remote deployment of software updates and upgrades, SmartLSM — Allows large-scale management and provisioning, SmartView Monitor — Advanced real-time monitoring functionality, SmartPortal — Allow the web access to the CMA configuration data. The above features are licensed per CMA.	Yes	1	MDS Server	Needs to be installed at the CMA level



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPPR-CMA	Provider-1 CMA (Primary CMA)	The Provider-1 Customer SmartCenter Add-on (CMA) utilizes Check Point's Security SmartCenter ArchiTecture (SMART) to enable one-click centralized security SmartCenter and policy distribution of a specified number of VPN-1 Power Gateways, for a single Customer. Includes SmartDashboard - user interface for defining and managing the security policy and SmartView Tracker - for displaying detailed log information on all enforcement points. A CMA must be hosted within an MDS Container. CMAs of different Customers are completely isolated from each other. Provider-1 CMAs can only be used within a Provider-1 MDS Container.	No	1	CMA Level	Licensed per number of sites managed
CPPR-CMA- XX-HA	Provider-1 CMA HA (Secondary CMA)	A second Provider-1 CMA for highly available SmartCenter of single customer, on a separate MDS Container. Does not require additional software to enable high availability.	No	1	CMA Level	The Secondary CMA must be of the same size as the Primary CMA.
CPSM-ST-CMA	SiteManager-1 Standard CMA (Primary CMA)	A Customer SmartCenter Add-on for managing up to 2 VPN-1 Power, VPN-1 UTM or VPN-1 UTM Edge gateways. SiteManager-1 CMAs can be used either within a Provider-1 MDS Container or within a SiteManager-1 MDS.	No	1	Installed on MDS Server, applied at CMA Level.	The number of users protected by these gateways must not exceed 250 users.
CPSM-ST- CMA-xx-HA	SiteManager-1 Standard CMA-HA (Secondary CMA)	A second SiteManager-1 Standard CMA for highly available SmartCenter of single customer, on a separate MDS Container. Does not require additional software to enable high availability.	No	1	Installed on MDS Server, applied at CMA Level.	The Secondary CMA must be of the same size as the Primary CMA.
CPPR-CLM	Customer Log Module	Enables real-time accumulation, tracking and SmartCenter of logs from VPN-1 Power Gateways of one Customer. Log servers are managed at the CMA level, and are not considered part of the Provider-1 System.	No	1	A stand-alone host, or co- hosted on a VPN-1 Power gateway.	Licensed per SmartCenter console. If hosted on non- MLM server must have own CLM license
CPPR-MLM-C	Multi-Domain Log Module – MLM	The MLM is a Container of Customer Log Modules (CLMs). It enables centralized log processing for multiple Customers on a dedicated MDS host. An MLM is recommended for larger deployments to improve performance of MDS Container hosts, by offloading their log processing functions. An MLM license cannot be added to a Provider-1 (or a SiteManager-1) MDS Container host.	Yes	1	Installed on MLM Server level, and covers all of the CLM licensing.	The MLM license enables all the contained CLMs. No additional CLM licenses are required. Multiple MLM licenses can be added to the same host, up to a maximum of 250 CLMs.
CPPR-MOTIF- GUI	Provider-1 Motif Gui	The Multi-Domain GUI (MDG) is a Provider-1 CMA interface designed to simplify multi-policy security management. It provides an intuitive way to view, edit, and navigate between policies (CMAs) stored centrally on the MDS. Using this GUI, a single administrator can oversee rules, objects, logs, status and alerts for hundreds of customers.	No	1	SmartCenter	Use only if a Solaris based GUI is required Licensed per Solaris Machine running the GUI.



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPPWR-VSX	Virtual Security Gateway – VPN-1 Power VSX	Extends the scale of the security system to meet the most demanding performance and reliability requirements of enterprise customers. The VSX Gateway enforces up to 250 discrete VPN-1 Power security policies on a single machine. Each VS (Virtual System) is associated with a VLAN, which is attached to an internal interface of the VSX Gateway. The additional Virtual Security Gateway enables automatic high availability or load sharing by providing an additional Virtual Security Gateway. SecureXL is provided with every VSX Gateway for enhanced VPN and firewall performance. Virtual Security Gateways require a VSX-CMA bundle for SmartCenter.	Yes	1	Gateway	Licensed by the number of Virtual Systems running on a VSX gateway. When running VSX in a cluster environment with Check Point ClusterXL, a ClusterXL license must be installed on the SmartCenter station.
CPPWR-VSX- HA	Additional Virtual Security Gateway (VSX) for Load Sharing and High Availability	Additional Virtual Security Gateway (VSX) for Load Sharing and High Availability Realize non-stop security with a second Virtual System Extension for high availability implementations. License must be of the same size as the primary VSX in the cluster.	Yes	1	Gateway	License must be of the same size as the primary VSX in the cluster. When running VSX in a cluster environment with Check Point ClusterXL, a ClusterXL license must be installed on the SmartCenter station.
CPPR-VSX- CMA	Virtual Systems Extension - CMA Bundles (Primary VSX- CMA)	Enables the management of a specified number of Virtual Systems, for multiple Customers, on a Provider-1. With this product, users can define all the Primary CMAs that are needed to manage the bundled Virtual Systems and the MVSs of the VSX gateways hosting them. These CMAs are hosted on a Virtual Container, and do not require a regular MDS Container.	Yes	1	MDS	This description is valid for VSX 2.0 and higher. Users with previous were credited with separate CKs for the: MDS Container, CMAs for managing the VSx, CMA for managing the VSX Gateway. The CMAs created within the VSX-CMA license can manage only Virtual Systems. If management of VPN-1 gateways/clusters is required, MDS Container and CMA licenses need to be purchased.
CPPR-VSX- CMA-HA	Virtual Systems Extension - CMA Bundles (Secondary VSX-CMA)	Enables to define Secondary CMAs for highly available Provider-1 CMA of a specified number of Virtual Systems, for multiple Customers, on a Provider-1 or SiteManager-1 MDS host. Bundles of Primary and Secondary VSX CMAs can be added on the same MDS host.	Yes	1	MDS	This description is valid for VSX 2.0 and higher. Users with previous versions were credited with separate CKs for the: MDS Container, CMAs for managing the VSx, CMA for managing the VSX Gateway.



SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPMSP-MASS	VPN-1 MASS	Check Point VPN-1 MASS (Multi-Access Security Solution) delivers the foundation of secure fixed/mobile convergence (FMC) for carriers – enabling them to deliver advanced communications services to their customers without compromising the network's security. With support for advanced access technologies such as 3G Wireless Interworking (3G I-WLAN) and Unlicensed Mobile Access (UMA, also known as Generic Access Network) as well as traditional remote access VPNs, VPN-1 MASS scales to provide remote access for up to 100,000 secure voice channels, and massive amounts of data connections.	No	2	Gateway	License is per number of user.
CPGX-VFF	FireWall-1 GX Module	FireWall-1 GX combines Check Point's patented Stateful Inspection technology with full GPRS Tunneling Protocol (GTP) awareness. FireWall-1 GX inspects all GTP tunnel fields in the context of both the packet and the tunnel. FireWall-1 GX secures the GPRS backbone when connecting to roaming partner and roaming exchanges (GRX). FireWall-1 GX also protects distributed GPRS backbone environments where operators have connections to Gateway GPRS Support Nodes (GGSNs) outside of their own network or to GGSNs that are geographically dispersed	No	1	Gateway	Licensed for an unlimited number of gateways
CPGX-HVFF	FireWall-1 GX Secondary Module	Realize non-stop security with two FireWall-1 GX Modules for high availability implementations.	No	1	SmartCenter	Licensed for an unlimited number of gateways
CPGX-GMC	FireWall-1 GX SmartCenter	FireWall-1 GX SmartCenter provides a rich set of GTP- specific log information, including granular logging details on tunnel creation, updates and deletions. Beyond logging, a wide range of security alerting options exists as well	No	1	SmartCenter	Licensed for an unlimited number of gateways
CPPR-GX-CMA	FireWall-1 GX CMA	A Provider-1 Customer SmartCenter Add-on for managing an unlimited number of FireWall-1 GX Modules. Includes the Pro Add-on features for this CMA.	No	1	CMA Level	Licensed for an unlimited number of gateways
SMP	Security Management Portal	The Security Management Portal (SMP) is a SmartCenter solution for service providers that deliver Internet security to consumers and small businesses. The SMP enables service providers to create flexible service categories and to centrally manage tens of thousands of subscribers.	No	1	Management	Licensed per number of appliances
SMP-OD	Security Management Portal On Demand	Based on SMP, SMP On-Demand is a fully- hosted solution offering managed firewall and intrusion prevention services, always-on antivirus protection, VPN connectivity, and other value-added services	No	1	Management	Licensed per number of appliances
SMP	Web Filtering	An OPSEC plug-in that allows Service Providers utilizing SMP to provide centrally managed URL filtering services to Safe@ appliances. Service based on SurfControl's Web Filter UFP product.	Yes	1	Management	Licensed per user



Home Office/Small Business Solutions

SKU Prefix	Name	Description	Additive	Number of Strings	Installed on	Notes / Limitations
CPSB-500WG	Safe@Office 500W Series UTM Appliances	A fully-integrated wireless firewall, intrusion prevention, VPN and antivirus gateway. Incorporating an 802.11b/g access point. Employing Check Point's Firewall-1® and VPN-1® technology.	No	N/A	On the device	Licensed per number of concurrent users
CPSB-500G	Safe@Office 500 Series UTM Appliances	A fully-integrated intrusion prevention, VPN and antivirus gateway. Incorporating an 802.11b/g access point. Employing Check Point's Firewall-1® and VPN-1® technology.	No	N/A	On the device	Licensed per number of concurrent users
CPSB-500WG- xx-ADSL	Safe@Office 500W ADSL	The Safe@Office 500W ADSL featuring advanced wireless security capabilities, a stateful inspection firewall, intrusion prevention, VPN and antivirus gateway and an integrated high-speed broadband ADSL2/ADSL2+ modem. Incorporating an 802.11b/g access point.	No	N/A	On the device	Licensed per number of concurrent users
CPSB-500G-xx- ADSL	Safe@Office 500 ADSL	The Safe@Office 500W ADSL featuring a stateful inspection firewall, intrusion prevention, VPN and antivirus gateway and an integrated high-speed broadband ADSL2/ADSL2+ modem. Incorporating an 802.11b/g access point.	No	N/A	On the device	Licensed per number of concurrent users
ST-CPSB	Annual Safe@Office Support and Subscription	Support and Subscription For Safe@Office appliances only. Includes the following: a) Security and firmware updates, b) Email, web and chat support, c) Telephone support in English from 8:00 AM to 5 PM US time and d) Advanced Replacment.	No	N/A		The appliance MAC address is required to purchase the Support Plan. Prices are Annual fees.
STAV-CPSB	Annual Safe@Office Antivirus, SmartDefense, Support and Subscription	Annual Support, Subscription, Gateway Antivirus and Application Intelligence Support Plan: * Gateway antivirus updates * SmartDefense updates * Security and firmware updates * Email, web and chat support * 8x5 telephone support in US and European time zones * Advanced replacement * Dynamic DNS	No	N/A		The appliance MAC address is required to purchase the Advanced Security Services Plan. Prices are Annual fees.
WF-CPSB	Annual Safe@Office Web Filtering Service	Provides URL filtering based on category classification of web-sites.	No	N/A		The appliance MAC address is required to purchase the Advanced Security Services Plan. Prices are Annual fees.